



## Safety Data Sheet for GENEX 6E

1. PRODUCT AND COMPANY IDENTIFICATION	
TRADE NAME	GENEX 6E
RECOMMENDED USE	Fire Fighting Foam Concentrate
MANUFACTURER	3FFF
ADDRESS	Unit C, Marconi Courtyard, Brunel Road, Earlstree Industrial Estate, Corby, Northants, NN17 4LT, United Kingdom
TELEPHONE	+44(0) 1536 202 919
FAX	+44(0) 1536 263 641
E-MAIL	enquiries@3fffuk.com
2. COMPOSITION / INFORMATION ON INGREDIENTS	
CHEMICAL CHARACTERISATION	Aqueous Solution of Surfactants
HAZARDOUS COMPONENTS	ButylDiGlycol Ether (ButylCarbotl)..... [5-10%] Xi ; R36 / CAS Nn : 112-34-5 / EINECS 203-961-6 AlkylSulfate..... [1-5%] Xi ; R36/38 FluoroSurfactant.....[<1%] F ; R10
3. HAZARDS IDENTIFICATION	
HEALTH HAZARDS	Irritating to eyes and skin
PHYSICAL AND CHECMIAL HAZARDS	Not Flammable
SPECIFIC RISKS	This product is not classified as hazardous under European directive 1999/45/EC
4. FIRST AID MEASURES	
AFTER SKIN CONTACT	Wash off with water. Remove and contaminated or soaked clothing and rinse with water
AFTER EYE CONTACT	Flush eye with plenty of water for at least 10 minutes
AFTER SWALLOWING	Wash mouth with water. Seek medical advice should pain occur and persist

<b>5. FIRE FIGHTING MEASURES</b>	
EXTINGUISHING MEDIA	Not applicable. Fire fighting foam concentrate
PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS	Standard equipment against fires
<b>6. ACCIDENTAL RELEASE MEASURES</b>	
PERSONAL PRECAUTIONS	Wear gloves and goggles
ENVIRONMENTAL PROTECTION	Absorb onto sand other absorbent material and shovel into container for disposal
<b>CLEANING MEASURES</b>	
COLLECTING	Pump into clearly identified unbreakable containers
CLEANING	Wash thoroughly with water
DISPOSAL	Incinerating according to local regulations
<b>7. HANDLING AND STORAGE</b>	
HANDLING	Standard equipment against chemicals
<b>STORAGE</b>	
TECHNICAL MEASURES	Storage area should contain accidental spill equipment.
STORAGE CONDITIONS	Sealed containers in normal, cool warehouse.
STORAGE RECOMMENDATIONS	Product in bulk: Stainless steel, polyester or mild steel protected with epoxy or polyurethane coating
<b>PACKAGING MATERIAL</b>	
RECOMMENDED	Polyethylene, Polypropylene, Stainless Steel
NOT ADVISED	Mild Steel, Iron, Aluminium, Copper and its' Alloys
RECOMMENDED SEALING	Viton, Kevlar, Teflon
<b>8. EXPOSURE CONTROL AND PERSONAL PROTECTION</b>	
<b>PERSONAL PROTECTIVE EQUIPMENT</b>	
HAND PROTECTION	Impermeable gloves (PVC) if continual handling
EYE PROTECTION	Goggles
BODY PROTECTION	Working clothes
<b>HYGIENIC MEASURES</b>	DO NOT eat, drink or smoke while handling the product, wash hands after working.

<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
PHYSICAL FOAM	Liquid
COLOUR / ODOUR	Yellow, Synthetic Smel
PH	8.0 +/- 1.0
FREEZING POINT	-5°C
BOILING POINT	+100°C
FLAMMABILITY / OXIDISING / EXPLOSIVE PROPERTIES	None
SPECIFIC GRAVITY at 20°C	1010 +/- 20Kg / m <sup>3</sup>
SOLUBILITY	Completely soluble in water
<b>10. STABILITY AND REACTIVITY</b>	
THERMAL DECOMPOSITION	Stable under normal conditions of use and storage
HAZARDOUS REACTIONS	None expected in standard use
<b>11. TOXICOLOGICAL DATA</b>	
ACUTE TOXICITY	None to be expected
LOCAL EFFECTS ON EYES AND SKIN	Irritating to the eyes and skin (pure). Not irritant at the recommended concentration of use
<b>12. ECOLOGICAL DATA</b>	
ENVIRONMENTAL BEHAVIOUR	COD = 10200mg O <sub>2</sub> /l [Test CE C5] BOD <sub>12</sub> = 9121mg O <sub>2</sub> /l [Test CE C6]
BIODEGREDATION DATA (6% VOLUME)	= 89% after 5 days: GENEX 6E is readily biodegradable
BIODEGREDATION RATE	Foaming agent if discharged in water
BIO ACCUMULATIVE	PerFlourinated Organic Compounds persist in environment
<b>ECOTOXICITY</b>	
AQUATIC LIFE TOXICITY	Not expected to be toxic after dilution
<b>13. DISPOSAL CONDITIONS</b>	
<b>PACKAGING</b>	
PROHIBITION	Do not discharge into the environment
CLEANING	Rinse with plenty of water
DISPOSAL	Incineration or an agreed method for package recycling

<b>13. DISPOSAL CONDITIONS CONTINUED</b>	
<b>PRODUCT</b>	
PROHIBITION	Do not discharge into the environment
DISPOSAL	Small amounts of product do not interfere with water treatment facilities. If released in sewage system, it is recommended to control the flow rate in order to avoid any foaming excess. Large quantities should be treated as chemical waste according to local regulations
<b>14. TRANSPORT INFORMATION</b>	
<b>INTERNATIONAL REGULATIONS</b>	
ROAD - RID/ADR	Non Hazardous
SEA - OMI/IMDG	Non Hazardous
AIR - ICAO/IATA	Non Hazardous
<b>15. REGULATORY INFORMATION</b>	
LABELLING	
CE REGULATIONS	Not Classified
HAZARD SYMBOL	Not Applicable
S PHRASES	S20/21: When Using, do not eat, drink or smoke
<b>16. OTHER INFORMATION</b>	
<b>RULES OF DRAFTING</b>	
This Material Safety Data Sheet complies with ISO 11014-1 it is redacted in accordance to European directive 2001/58/EC	

# UltraFire

 [www.ultra-fire.co.uk](http://www.ultra-fire.co.uk)

 [support@ultra-fire.co.uk](mailto:support@ultra-fire.co.uk)

Ultrafire  
 C/O Safelincs Ltd  
 Farlethorpe Road Industrial Estate  
 Alford  
 Lincolnshire  
 LN13 9PS